


### OCEAN


2450 x 1050 mm

one-side embossed  
non repeating pattern

#### Textured panel



#### Available thicknesses



Besides the allowance of +/-0,3 mm of the total area thickness referring to the highest point there are minor differences in the thickness of the embossment - about 2,8 mm due to the natural design specifications.

#### Tolerances


Height, Width	<600mm	+/- 0,5 mm
	>600mm	+/- 1,0 mm
Thickness		+/- 0,5 mm
Exactitude of profile		+/- 1,5 mm
Straightness per meter		+/- 3,0 mm

### OCEAN


1050 x 2450 mm

one-side embossed  
non repeating pattern

#### Textured panel



#### Available thicknesses



Besides the allowance of +/-0,3 mm of the total area thickness referring to the highest point there are minor differences in the thickness of the embossment - about 2,8 mm due to the natural design specifications.

#### Tolerances


Height, Width	<600mm	+/- 0,5 mm
	>600mm	+/- 1,0 mm
Thickness		+/- 0,5 mm
Exactitude of profile		+/- 1,5 mm
Straightness per meter		+/- 3,0 mm

### OCEAN


3135 x 1270 mm

one-side embossed  
repeating pattern

#### Textured panel



#### Available thicknesses



Besides the allowance of +/-0,3 mm of the total area thickness referring to the highest point there are minor differences in the thickness of the embossment - about 2,8 mm due to the natural design specifications.

#### Tolerances


Height, Width	<600mm	+/- 0,5 mm
	>600mm	+/- 1,0 mm
Thickness	+/- 0,5 mm	
Exactitude of profile	+/- 1,5 mm	
Straightness per meter	+/- 3,0 mm	

### OCEAN


### 1270 x 3135 mm

one-side embossed  
repeating pattern

#### Textured panel



#### Available thicknesses



Besides the allowance of +/-0,3 mm of the total area thickness referring to the highest point there are minor differences in the thickness of the embossment - about 2,8 mm due to the natural design specifications.

#### Tolerances

Height, Width	<600mm	+/- 0,5 mm
	>600mm	+/- 1,0 mm
Thickness	+/- 0,5 mm	
Exactitude of profile	+/- 1,5 mm	
Straightness per meter	+/- 3,0 mm	

Not shown to scale  
All measures in mm